How to Create a Rule Set (Targeting RSCE_FNCT Pairing)

The rules will be attached to an existing Event Profile. We have two profiles of which we need to create the rules for

- RSCE_FNCT_PAIR "Resource-Function Pairing (for Ledger Entry Only)"
- RSCE_FNCT_PAIR2 "Resource-Function Pairing (for Ledger Import Only)"

The process is the same for the two Event Profiles.

Go to Rule Sets in SunPlus

Buciness Public									1.4-12
Farmerica	Sardia Reports			Acort Register	Financial Reporting		Investory	Eusiness Pules	Uter Gategories * •
S Proce	a Toerto	0 2 2 2 2	Process Fader Data Set Keys Mannagas I Sets		Constitutionary Recording Granters	A	 		

- > You will have to select an event code and for our example we will use "RSCE_FNCT_PAIR".
- > Type a Rule Code (based on the Function Code e.g. GDCHIEF01)





> After clicking Detail...a window as shown below will appear.

			9	Col. or a	of the local in	100						
AT AND A		/	-	8				1				
-	1											
	/											
Logeri	1			1		- 14		-				
/	_					18.						
-1	interl. part.	Ipane	i.			-	and the second	NAME OF	anne [na	inter (Receiptor II	_
1	theread read read read	15a.un	i contra da	allbain y	n 1 Nor 10		nt) for store	National T	at later (Na	aner 1	Not other to	
1		154.000	- That is	11164.00	1	1	ant San Amerik	Na she'' 1	an antar ti Tika	iden 1	Martin V.	1
2		-	-	ni ha se	et [440.05	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No official day	an lantan 1 Mar	offer t	Not other 10	-1
	tandi viai nationali nationali nationali nationali	194.000	r bear	ni Tha an A	1 Not 10	1	1	The sets ? 1	e oter i ha	31 Men	And other to	

Follow the following screens guide

1															
CT.	Command	Table 1	Mute Operator	Value 2	Fuls indian 7	Rule Arton 2	Rule Address 3	Rule Address &	Rate Address 1	RakAdana	Rule Address 7	Rule Action 1	Rule Action 9	Rus Adv	- 10
		Lodge Analysi		0.445	1										
		Lodge Analysi		11480	Selectify	from the c	I nwobaot	at and clic	A CH						
	-	Lobpe Anapor		STATES.											
		Linger Atent	-	17.888						1					
7	-	The second second		Chrometer.											
		-													
	. I	-													
5	-														
-	standar -														



3

		Doule-click	Message Text	-
	Rule Common Fields	Contraction of the second		
Þ	Function Data Hierarchy			
	Rule Data Sets			
	Work Space			

4

		Message Test	
Journal Header	Double-Click		
Journal Line Control	100001610-0011616		
Iournel Une Detein			
Previous Journal Line Details			
Related Static Date			



	Menage Fox
E	
Ħ	Rouble_Clicky1
Ħ	5 3 3
	9

Decorption	Wroage Test	
Colgan Analysis 1 Colgan Analysis 1, Peri 1,3, dd Coleman Code	Double cirki i edostulnatera.4	
	LOOKED AND LOOKED DUR (MEN)	

Click OK

8													
Command													
Viewe 1													
Langer Analy	10 T			1.0				ul I Hananity H	alan				
taestar.	-		7	Select and	ign and c	ick.DPP							
dist.d.			1					w.) Herarchy H	itas				
			1										
Connact	Taken 1 Under Knotern 1	Auto Operation	VEH 2	that action 1	Bulle Arthurs 2	Bale Action 1	Rail Artist 4	Rule Adden 1	Bull Artist 5	Balk Artist 7	Rule Artist 8	Net Attan 1	Fait
1	undigen Analysis 1 Undigen Analysis 1 Undigen Analysis 1	1	416254 41625 416260		*								
8	Condeport Annualysis 1	:1	41627										
3 F	undger Analyse 1 Undger Analyse 4		0004010	1		1		8					



10

(mmmm)	18941	Auto Danata	inter 2	Automation -	Refer Autors (T Rate Listen 1	Rule Address of	Bale dation (Rule dollars 4	T Rule deliver.	7 Auto Autor-1	Auto-Autor-A	Bulk Safery 10
	Ledger Analysis F	1	1.94										
	Ladge Analysi I		11008		1							1	
	Ladge Analysis 1		19.805			1						20,74,064	Test inter senect-
	Ladget Analysis 1		10.0001								/	Viators/Gen	Note the site
	Lamps Analpin 1		140					4				Property of the local division of the local	And in the set of
	Ladge Analysis 1	-	1100						¥			and the second second	
	Ladge Analysis 1		-								S.		1 E.
	Campo Analysis &		00000000		8			1			-		
										14			
											-		

Click OK







Finish.